



Sports Medicine Institute
Dr. Palumbo

Post Operative Instructions for Elbow Arthroscopy Patients Level 1: Debridement

1. Thank you for choosing OAA and Dr. Robert Palumbo.
2. Your first meal should be a light meal.
3. Use an ice bag or cryotherapy device applied to your elbow for 20 minutes every hour. Do not place ice directly on your skin. Use a thin, damp towel or cloth between the ice and skin.
4. With the sling on: do shoulder shrugs and move your hand frequently.....squeezing a sponge or ball if you wish.
5. Take the sling off at least 3 times a day to move your elbow and perform wrist exercises.
6. A prescription for pain medication has been provided to you. Use the medication as directed on the bottle. You may take Advil (ibuprofen) or Aleve (Naproxen) if you still have pain and are not allergic to these medications. If the pain is mild, Tylenol, Advil or Aleve may be all that you need.
7. The dressing may be removed after 24 hours. You may have had a physical therapy appointment arranged for the next day. The physical therapist will help you with the dressing change. The small incisions may leak/ooze for two days. Cover them with Band-Aids as needed.
8. You may shower 24-hours after surgery. Leave the Steri-Strips on and change any wet dressings. Do not swim or soak in a tub or whirlpool until after your first post-op office visit and Dr. Palumbo's Team has given approval.
9. Activities:
 - A. Let pain be your guide to activity.
 - B. Some amount of swelling may be present post-operatively. Restrict activity if swelling is present.
 - C. Do not use exercise machines unless specified by Dr. Palumbo's Team or your physical therapist.
 - D. If you have a desk job with little physical activity, you may return to work if approved by Dr. Palumbo's Team preoperatively.
 - E. If your job requires excessive lifting, your return to work date will be discussed during your first post-op office visit.
10. You should have a post-op office appointment 7-14 days following your surgery. If you do not have an appointment, call the office on the next business day to arrange one.
11. If you develop a fever (101.5° F or higher), redness in your arm, pain in your arm or have any concerns regarding your procedure or recovery please call the office at once.

Thank you for following the above instructions. If you have any questions, please call our office at (610) 973-6200 and ask for one of the following Team Palumbo Staff members: Brian Kephart, PA-C, ATC or Casey Muthard, BS.